

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
51-R-0006	81	THE JOHNS HOPKINS UNIVERSITY	265 GARLAND HALL	BALTIMORE	MD	21218	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
21-R-0018	292	REGENERON PHARMACEUTICALS INC	777 OLD SAW MILL RIVER ROAD	TARRYTOWN	NY	10591	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
21-R-0060	311	NEW YORK MEDICAL COLLEGE	DEPT OF COMPARATIVE MEDICINE	VALHALLA	NY	10595	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
33-T-0011	647	UNITED AIRLINES INC	233 S WACKER DRIVE	CHICAGO	IL	60606	14-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
92-R-0001	1046	OREGON HEALTH & SCIENCE UNIVERSITY	3181 S W SAM JACKSON PARK RD., #L335	PORTLAND	OR	97239	14-Feb-17	ROUTINE INSPECTION	2.32	2.32(a)()()	RESEARCH FACILITY	-	Y
92-R-0001	1046	OREGON HEALTH & SCIENCE UNIVERSITY	3181 S W SAM JACKSON PARK RD., #L335	PORTLAND	OR	97239	14-Feb-17	ROUTINE INSPECTION	2.32	2.32(a)()()	RESEARCH FACILITY	* Two animals were found unresponsive on first check one morning. One animal responded to treatment, the second did not and was euthanized. Review found that previously drawn-up evening insulin doses for these animals were dropped and contaminated, and so were replaced by the administering tech. TB syringes were accidentally used instead of insulin syringes, so the dose was wrong resulting in the complication. This was corrected prior to the time of inspection by retraining the employee.	Y
92-R-0001	1046	OREGON HEALTH & SCIENCE UNIVERSITY	3181 S W SAM JACKSON PARK RD., #L335	PORTLAND	OR	97239	14-Feb-17	ROUTINE INSPECTION	3.75	3.75(a)()()	RESEARCH FACILITY	-	Y
92-R-0001	1046	OREGON HEALTH & SCIENCE UNIVERSITY	3181 S W SAM JACKSON PARK RD., #L335	PORTLAND	OR	97239	14-Feb-17	ROUTINE INSPECTION	3.75	3.75(a)()()	RESEARCH FACILITY	A baboon was found to have a fractured hand. It was treated and healed without complication. Upon review of the injury and the facility, it was determined that the animal had likely been injured by the heavy guillotine door. Housing facilities must be safe and secure to minimize the chance of injury. Correction was made prior to the time of inspection by modifying the doors to positively lock in the open or closed position.	Y
92-R-0001	1046	OREGON HEALTH & SCIENCE UNIVERSITY	3181 S W SAM JACKSON PARK RD., #L335	PORTLAND	OR	97239	14-Feb-17	ROUTINE INSPECTION	2.31	2.31(c)(7)()()	RESEARCH FACILITY	-	Y
92-R-0001	1046	OREGON HEALTH & SCIENCE UNIVERSITY	3181 S W SAM JACKSON PARK RD., #L335	PORTLAND	OR	97239	14-Feb-17	ROUTINE INSPECTION	2.31	2.31(c)(7)()()	RESEARCH FACILITY	* A researcher self-reported to the IACUC that an off-study drug was administered to five animals. There were no ill effects to the animals. The drug's use had been included on the previously approved study, but not on the renewal. Research activities must exactly follow approved protocols for the welfare of the animals and the integrity of the science. This was corrected prior to the time of inspection by approving an amendment to the protocol. * Two monkeys with head caps were reported by veterinary care staff to have them cleaned monthly. The margins are clean and without evidence of discharge or discoloration. The IACUC-approved protocol states that head caps are to be cleaned weekly. There is no part of the protocol addressing care when there is no activity using the posts or chambers, as is the current situation. Care of research-related implants may be different for active versus inactive status, but the difference must be addressed in the approved protocol. Correction: the IACUC is set to meet the week following the inspection, where correction will be addressed.	Y
72-R-0013	1391	NICHOLLS STATE UNIVERSITY	DEPARTMENT OF BIOLOGY	THIBODAUX	LA	70310	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
74-R-0075	1452	University of Texas - Arlington	OFFICE OF RESEARCH	ARLINGTON	TX	76019	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
16-C-0008	1942	TOWN OF WEST HARTFORD	119 FLAGG ROAD	WEST HARTFORD	CT	6117	14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
23-C-0098	2449	LAKE TOBIAS WILDLIFE PARK	760 TOBIAS ROAD	HALIFAX	PA	17032	14-Feb-17	ROUTINE INSPECTION	3.75	3.75(c)(3)()()	EXHIBITOR	-	Y
23-C-0098	2449	LAKE TOBIAS WILDLIFE PARK	760 TOBIAS ROAD	HALIFAX	PA	17032	14-Feb-17	ROUTINE INSPECTION	3.75	3.75(c)(3)()()	EXHIBITOR	Section 3.75 (c)(3) Cleaning: The enclosure housing five squirrel monkeys has an excessive accumulation of excreta and food waste adhered to the wood surfaces of the indoor portion of their enclosure. The soiled surfaces may promote the growth of bacteria and cause illness in the monkeys. Hard surfaces with which nonhuman primates come in contact must be spot-cleaned daily and sanitized in accordance with Section 3.84 of this subpart. Squirrel monkeys scent mark, the enclosure surfaces must be sanitized or replaced at regular intervals as determined by the attending veterinarian in accordance with generally accepted professional and husbandry practices. Correct by February 21, 2017.	Y

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)							14-Feb-17	ATTEMPTED INSPECTION	-	-	EXHIBITOR	-	N
33-C-0027	2551	CITY OF AURORA	44 E DOWNER PLACE	AURORA	IL	60507	14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
64-C-0204	3027	CITY OF GADSDEN	PO BOX 267	GADSDEN	AL	35902	14-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()()	EXHIBITOR	-	Y
64-C-0204	3027	CITY OF GADSDEN	PO BOX 267	GADSDEN	AL	35902	14-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()()	EXHIBITOR	*** The enclosure containing the arctic foxes had been penetrated from within on February 9, 2017. The foxes burrowed out of the enclosure and escaped the facility. They burrowed down beneath their den at least two feet and out of the enclosure about 3 - 4 feet passed the fence line. Three days later one fox returned with mild seizures and was treated by the Attending Veterinarian immediately. The second fox returned the next day with a broken right rear foot which was also treated by the Attending Veterinarian promptly. Five of the remaining foxes have not returned and the facility has laid traps and bait to attempt to catch them. The facility has revamped the enclosure by extending the fence vertically 4 - 5 ft below the ground into concrete to prevent the current foxes from escaping. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.	Y
64-C-0204	3027	CITY OF GADSDEN	PO BOX 267	GADSDEN	AL	35902	14-Feb-17	ROUTINE INSPECTION	3.75	3.75(c)(3)()()	EXHIBITOR	-	Y
64-C-0204	3027	CITY OF GADSDEN	PO BOX 267	GADSDEN	AL	35902	14-Feb-17	ROUTINE INSPECTION	3.5	3.50(a)()()()	EXHIBITOR	-	Y
64-C-0204	3027	CITY OF GADSDEN	PO BOX 267	GADSDEN	AL	35902	14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
82-C-0074	3488	CITY OF IDAHO FALLS	P. O. Box 50220	IDAHO FALLS	ID	83405	14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
93-C-0997	3614	WILD THINGS INC.	P. O. BOX 191	WEIMAR	CA	95736	14-Feb-17	ATTEMPTED INSPECTION	-	-	EXHIBITOR	-	Y
85-C-0016	3760	New Mexico Wildlife Center	P. O. BOX 246	ESPANOLA	NM	87532	14-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()()()	EXHIBITOR	In the outdoor enclosure housing one grey fox named "Velcro" the elevated wood platform has two boards missing leaving a large gap. The fox could fall or get caught in the area of the missing boards and could potentially become injured. On the roof of the additional wood den is a nail head protruding upward that could cause an injury to the fox. Maintain indoor and outdoor facilities so that it is structurally sound and in good repair to protect the animals from injury. To be corrected by: February 28, 2017	Y
85-C-0016	3760	New Mexico Wildlife Center	P. O. BOX 246	ESPANOLA	NM	87532	14-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()()()	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)()	BREEDER	<p>***In the medication storage portion of the facility, there was a bottle with a label that was worn and difficult to read however, this medication expired 5/4/2016. There was also a bottle that had been relabeled as Cephalexin. This label had no expiration date on it. Medications that are expired or have an unknown expiration date and are given to the animals may not produce the desired result. The licensee must remove all expired medications from the ready to use portion of the facility and assure that all medications are labeled appropriately, are within the expiration date and provide adequate veterinary care at all times.</p> <p>To be corrected by February 17, 2017.</p>	N
							14-Feb-17	ROUTINE INSPECTION	3.1	3.10()()()	BREEDER	-	N
							14-Feb-17	ROUTINE INSPECTION	3.1	3.10()()()	BREEDER	<p>***In the outdoor portion of the sheltered facility, there was an enclosure housing one white female French Bulldog. There was another enclosure containing one male and two female miniature Pinschers. The water receptacles in these enclosures were completely dry. The facility representative stated that the receptacles were just emptied to be cleaned. When the inspectors requested water for these dogs, the receptacles were cleaned and placed back into the enclosures. All of these dogs were attempting to drink prior to the receptacles being filled. The dogs were licking droplets of water from the side of the receptacles. The French Bulldog drank consistently for over two minutes, the female miniature Pinschers drank consistently for over two minutes and the male drank for over three minutes. The abdominal areas of these dogs increased in size dramatically as they drank. When the inspector asked when the dogs were last offered water, the facility representative stated that it was "about this same time yesterday." The facility representative also stated that the dogs "are watered once a day." Lack of water can cause dehydration and increases the risk of other medical conditions. The licensee must provide potable drinking water for the animals and assure that the animals have potable water to drink as required.</p> <p>This was corrected during the inspection and the facility representative understands that this is to remain corrected from this day, February 14, 2017, forward.</p>	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												<p>***In the whelping facility, there were three French Bulldog puppies approximately ten weeks old from two different litters housed in the same enclosure. Another enclosure contained one miniature Pinscher and two French Bulldog puppies that were nine weeks old. Another enclosure contained one French Bulldog puppy and an English Bulldog puppy. Seven of these puppies had no form of identification attached to the dog while being housed in mixed litters.</p> <p>***There was one enclosure that contained three unweaned Shih Tzu puppies. These puppies had no identification. Appropriate identification of dogs is necessary to meet record keeping requirements for inventory, disposition, transport, and healthcare documentation. The licensee must identify all puppies that are less than 16 weeks old. Acceptable forms of identification for puppies that are weaned and housed in mixed litters include a microchip, a collar and tag, a plastic-type collar with the required information legibly written or a cage card as long as all the puppies in the enclosure are from the same litter.</p> <p>To be corrected by February 21, 2017.</p>	N
								ROUTINE INSPECTION	2.5	2.50(a)(2)(i)	BREEDER	-	N
								ROUTINE INSPECTION	2.5	2.50(a)(2)(i)	BREEDER	-	N
								ROUTINE INSPECTION	3.11	3.11(c)(i)(i)	BREEDER	-	N
												<p>***In the outdoor portion of the adult sheltered facility, on the outside of the southeast enclosure, there was a torn plastic bag up against the enclosure fence, close enough to be reached with a paw. Portions of this bag were also in the two most southern enclosures which contained four adult dogs.</p> <p>***In the northern outdoor enclosure of this same facility, there was an extension cord that had been pulled through the fence into this enclosure containing two adult dogs. This cord had several places that were chewed through the safety covering and at least one place that was chew completely through exposing the wires within the cord. The facility representative stated that the cord was used for the shop vac and was not plugged in at the time of inspection. The cord was removed from the enclosure during the inspection. Discarded items and equipment that is not stored appropriately and enters an enclosure can be eaten by the dogs and cause intestinal or other internal issues. Cords can cause electrical shock if chewed while plugged in. The licensee must remove these items from the enclosures and assure that the premises are kept clean as required.</p> <p>To be corrected by February 17, 2017.</p>	N
								ROUTINE INSPECTION	3.11	3.11(c)(i)(i)	BREEDER	-	N
								ROUTINE INSPECTION	3.81	3.81(i)(i)(i)	DEALER	-	N
												The facility does not have an appropriate plan for environment enhancement and could not demonstrate that enrichment was being provided for nine lemurs. Lack of a developed plan and not providing a variety of enrichment could negatively affect the psychological well-being of the lemurs. Develop, implement, and maintain as directed by the Attending Veterinarian an appropriate environmental enhancement plan for the lemurs. Correct by 2/21/17.	N
								ROUTINE INSPECTION	3.81	3.81(i)(i)(i)	DEALER	-	N
								ROUTINE INSPECTION	-	-	BREEDER	-	N
								FOCUSED INSPECTION	-	-	BREEDER	-	N
21-R-0210	30958	CARDIOVASCULAR RESEARCH FOUNDATION	8 CORPORATE DRIVE	ORANGEBURG	NY	10962	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y

(b) (6), (b) (7)(C)

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag	
												There was no written program of veterinary care indicating what preventive care or treatments are appropriate for each species, contacts in case of health emergencies, method of euthanasia, frequency and dosage of parasite control, vaccinations (if any) etc. If exhibitors employ a part-time attending veterinarian or consultant, formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the premises. To be corrected by next inspection.		
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	2.4	2.40(a)(1)()	EXHIBITOR		N	
							14-Feb-17	--RESCINDED--	-	-	EXHIBITOR	-	N	
							14-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N	
							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
							14-Feb-17	ATTEMPTED INSPECTION	-	-	EXHIBITOR	-	N	
							14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y	
							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
							55-R-0130	40697	BRADFORD SCHOOLS INC	309 E MOREHEAD ST	CHARLOTTE	NC	28202	14-Feb-17
22-R-0143	44516	PRODUCT SAFETY LABS	2394 U S HIGHWAY 130	DAYTON	NJ	8810	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y	
												* A bottle of Oxytocin has an expiration date of July 2015. This medication was located in the pharmaceutical refrigerator and available for use on the dogs. Expired medications may have deteriorated past the point of being safe or effective. The licensee must ensure that all medications used in the facility are not expired and labeled properly in accordance with standard veterinary practices and manufacturer's recommendations.		
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)()	BREEDER	** To be corrected by: Immediately (2/14/17)	N	
													* Accumulations of feces, dirt, food waste and grime was seen on the floor, interior walls and in the dog door entrances of 8 enclosures housing 22 dogs. A build up of dirt and grime was noticed along the lip of the water catch buckets and there is a slick oily type material in the bottom of the bucket that the dogs have access to. Accumulations like these indicate lack of cleaning, and can increase living and breeding grounds for pests, soil the dogs, and enhance disease hazards by preventing proper sanitization to occur. Proper routine cleaning must be done to prevent accumulations and to allow for complete and successful sanitization of surfaces using one of the methods prescribed in paragraph (b)(3). All surfaces must be maintained through a regular routine of cleaning and to include sanitizing at least once every 2 weeks or more often if necessary to prevent accumulations and minimize disease hazards.	
							14-Feb-17	ROUTINE INSPECTION	3.11	3.11(b)(2)()	BREEDER	** To be corrected by: 2/16/17	N	
							14-Feb-17	ROUTINE INSPECTION	3.11	3.11(b)(2)()	BREEDER	-	N	
							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
							14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N	
16-R-0051	322034	FAIRFIELD UNIVERSITY	1073 NORTH BENSON ROAD	FAIRFIELD	CT	6824	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y	
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N	
65-R-0506	326536	HINDS COMMUNITY COLLEGE/VET TECH	PO BOX 1100	RAYMOND	MS	39154	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y	
21-R-0229	327458	PROFECTUS BIOSCIENCES	401 N MIDDLETOWN ROAD	PEARL RIVER	NY	10965	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y	
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)							14-Feb-17	FOCUSED INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
16-R-0055	331921	NORWALK COMMUNITY COLLEGE	188 RICHARD AVE	NORWALK	CT	6854	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
23-R-0181	332427	PITTSBURGH CAREER INSTITUTE	421 SEVENTH AVE	PITTSBURGH	PA	15219	14-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	3.28	3.28(a)(1)(i)	DEALER	Primary enclosures. The four rack pens with a total of 20 enclosures have rusty wire on the front side by the automatic water receptacles. Primary enclosures must be kept in good repair to protect the guinea pigs from injury, contain them securely, and constructed of smooth material which is impervious to liquids and moisture. The rusty wire by the water valves must be repaired or replaced so that the wire can be repeatedly cleaned and disinfected, will not retain odors, or expose the guinea pigs to disease hazards. Correct by March 31, 2017.	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	3.26	3.26(d)(i)(i)	DEALER	Interior surfaces. There is roughened concrete on the floor of the guinea pig building. The floor surface makes cleaning and sanitation more difficult since the roughened surface is not smooth and allows dirt and debris to adhere. Inadequate cleaning and sanitation can expose the guinea pigs to disease hazards. Interior building surfaces of indoor housing facilities must be constructed and maintained so that they do not permit the absorption of fluids, can be repeatedly cleaned and disinfected, does not retain odors, and from which fluids bead up and run off. The roughened concrete must be repaired or replaced so that the floor can be thoroughly and repeatedly cleaned and disinfected, does not retain odors, or expose the animals to disease hazards. Correct by May 15, 2017.	N
93-C-1092	333064	Saving Wildlife International	P.O. Box 2626	MALIBU	CA	90265	14-Feb-17	ATTEMPTED INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
42-A-1521	334050	Taylor Ridge Kennel LLC	P.O. Box 307	BLOOMFIELD	IA	52537	14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	Y
85-C-0041	334097	Global House Inc.	2820 Cerrillos Rd	SANTA FE	NM	87507	14-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)							14-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
41-B-0280	335272	ODD BALL PET FACTORY COM	8485 PLAZA BLVD STE E	SPRING LAKE PARK	MN	55432	14-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	Y
65-B-0129	500900	THE JUNGLE EXOTIC PETS LLC	1998 HWY 49 S	FLORENCE	MS	39073	14-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	Y

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												<p>On January 26, 2016 a young female macaque was found dead in the outdoor portion of her enclosure. This animal had its head entrapped in a ball which was used for enrichment in the animal's enclosure. The ball was described by the facility as having a hole chewed into it sufficient to allow the entire head of the animal to become entrapped with only the mandible of the jaw exposed. This animal died at some time between the PM and AM animal checks. The necropsy of the animal was not conclusive and the facility determined that the likely cause of death was prolonged exposure to the cold in combination with the stress of not being able to remove her head from the ball.</p> <p>At the time of the inspection today the inspectors noted a few badly worn enrichment items. A couple of these items had holes in them. One enrichment item in particular known as a "pill" had a hole in it large enough for a juvenile macaque to stick its head into. This enrichment item has worn to the point that it is potentially hazardous to animals in the enclosure in which it is being used. Furniture type fixtures or objects must be sturdily constructed and strong enough to provide for the safe activity and welfare of the animals in the enclosure. When excessively worn these items must be removed from the enclosure in order to minimize the risk of head or other limb entrapment.</p>	
51-A-0030	81	THE JOHNS HOPKINS UNIVERSITY	265 GARLAND HALL	BALTIMORE	MD	21218	15-Feb-17	ROUTINE INSPECTION	3.75	3.75(c)(1)()	BREEDER	Corrected at the time of the inspection.	Y
23-R-0013	297	DUQUESNE UNIVERSITY OF THE HOLY GHOST	B102 BAYER LEARNING CENTER	PITTSBURGH	PA	15282	15-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
33-T-0011	647	UNITED AIRLINES INC	233 S WACKER DRIVE	CHICAGO	IL	60606	15-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
												<p>The last three Institutional Official (IO) reports, dated January 2017, September 2016, and April 2016, are incomplete. Program and facility deficiencies were identified and included on the reports, but the deficiencies were not designated as significant or minor. It is important significant deficiencies are recognized, discussed, and addressed in a timely manner to maintain optimal animal welfare. The reports must distinguish significant deficiencies from minor deficiencies.</p> <p>Correct by: From This Day Forward. The template for recording deficiencies on the IO reports was corrected at the time of inspection to include a S/M designation space</p>	
32-R-0011	780	BALL STATE UNIVERSITY	OFFICE OF RESEARCH INTEGRITY	MUNCIE	IN	47306	15-Feb-17	ROUTINE INSPECTION	2.31	2.31(c)(3)()	RESEARCH FACILITY	inspection to include a S/M designation space	Y
												<p>The protocol for the use of bats in teaching and outreach lacks detail. Language describing exactly how the animals are used is missing. Teaching and outreach are broad terms which include a wide variety of potential uses. The processes and procedures the bats undergo must be described so accurate welfare assessments can be made. A proposal to conduct an activity involving animals, or to make a significant change in an ongoing activity involving animals, must contain a complete description of the proposed use of the animals.</p>	
32-R-0011	780	BALL STATE UNIVERSITY	OFFICE OF RESEARCH INTEGRITY	MUNCIE	IN	47306	15-Feb-17	ROUTINE INSPECTION	2.31	2.31(e)(3)()	RESEARCH FACILITY	Correct by: April 1, 2017	Y

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												The euthanasia method described in the written program of veterinary care (PVC) is not consistent with the method included in the bat teaching and outreach protocol. Euthanasia methods performed by staff must concur with veterinary recommendations. Animals may experience undue stress if veterinary procedures are not followed exactly. Each research facility shall assure that the attending veterinarian has appropriate authority to ensure the provision of adequate veterinary care and to oversee the adequacy of other aspects of animal care and use.	
32-R-0011	780	BALL STATE UNIVERSITY	OFFICE OF RESEARCH INTEGRITY	MUNCIE	IN	47306	15-Feb-17	ROUTINE INSPECTION	2.33	2.33(a)(2)(i)	RESEARCH FACILITY	Correct by: April 1, 2017	Y
57-T-0001	828	DELTA AIR LINES INC	1010 DELTA BOULEVARD	ATLANTA	GA	30354	15-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
93-R-0136	1149	FOOTHILL COLLEGE	12345 EL MONTE ROAD	LOS ALTOS HILLS	CA	94022	15-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
74-T-0007	1538	American Airlines Inc.	4333 AMON CARTER BLVD MD 4418	FORT WORTH	TX	76155	15-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
21-C-0020	2100	WILDLIFE CONSERVATION SOCIETY	2300 SOUTHERN BLVD.	NEW YORK -BRONX	NY	10460	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	EXHIBITOR	-	N
												Section 2.40(b)(2) Veterinary care: The marmoset appears thin and unthrifty. The hair coat is matted and there is a clump of hair hanging from its back. There is some hair loss on the ventral aspect of the base of its tail and the hair appears sticky and unclean on the tail and rear end. The marmoset is not grooming itself and this may be a sign that the animal is unwell or feeling poorly. Marmosets are small animals that can easily become dehydrated and weak. The marmoset has not been seen or treated by the attending veterinarian for its current condition. Once the APHIS Official identified the condition of the marmoset, an employee called the attending veterinarian for the small animals to arrange for an appointment today.	
												Each exhibitor must establish and maintain adequate programs of veterinary care that include the use of appropriate methods to prevent, control, diagnose and treat diseases and injuries. Correct by having the marmoset seen by the attending veterinarian and following the recommendations of the veterinarian.	
							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	EXHIBITOR	Note: The female black alpaca with hair loss on its nose cited on the November 2, 2016 inspection report was seen by the attending veterinarian for the large animals.	N
							15-Feb-17	ROUTINE INSPECTION	3.75	3.75(c)(2)(i)	EXHIBITOR	-	N
												Section 3.75(c)(2) Maintenance and replacement of surfaces: The first enclosure housing two capuchin monkeys has a rope in the outdoor portion of the enclosure that is covered with feces on the lower end with the knots. The feces contaminated rope may be a source of bacteria that could be a disease hazard for the animals. Surfaces of housing facilities, including objects within the facility, that cannot be readily cleaned and sanitized, must be replaced when worn or soiled. Correct by cleaning or removing the rope contaminated with feces. Correct by February 16, 2017.	
							15-Feb-17	ROUTINE INSPECTION	3.75	3.75(c)(2)(i)	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
33-C-0056	2582	SHEDD AQUARIUM SOCIETY	1200 S LAKESHORE DR	CHICAGO	IL	60605	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
58-C-1049	3126	SARASOTA JUNGLE GARDENS INC	3701 BAYSHORE RD	SARASOTA	FL	34234	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y

(b) (6), (b) (7)(C)

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												"Skippy" an 11 year old goat is very thin. Her dorsal spinal column & her ribs are easily felt. There is little muscle mass over these areas. Have you veterinarian examine this goat and treat accordingly	
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	EXHIBITOR	Correct by February 22, 2017	N
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	EXHIBITOR	-	N
93-C-1129	3381	CITY OF FOLSOM	403 STAFFORD STREET	FOLSOM	CA	95630	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
												The fence line behind the office is constructed of woven wire and has at least four broken wires which are creating sharp points at the level of the animals. There is an opening in the fence line that allows the animals to move between two enclosures. On either side of this opening is a fence post. On one of these fence posts there is a loose wire. The wire is located towards the lower part of the post and could come into contact with the animals. There are six elk and three deer housed within this enclosure. Sharp points can cause injury to the animals. The licensee must remove all sharp points from the animal enclosures in order to protect them from injury. Two of the sharp points were removed by the facility representative at the time of the inspection. The facility representative stated that the broken fence posts located next to the round bales of hay that were cited on the inspection report dated June 15, 2016 have not been repaired or replaced. Broken fencing is not structurally sound and could cause injury to the animals or allow the animals to escape. The facility must be constructed of such material and of such strength as appropriate for the animals housed within. The facility must be structurally sound and kept in good repair to protect the animals from injury. The licensee must repair or replace the broken wooden fence posts to ensure the animals are safe from injury and cannot escape.	
42-C-0089	5136	APPANOOSE COUNTY CONSERVATION BOARD	25100 520TH STREET	CENTERVILLE	IA	52544	15-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)(i)	EXHIBITOR		N
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(xii)	BREEDER	-	N
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(xii)	BREEDER	Flooring that is constructed of metal strands/wire, must be greater in diameter than 9 gauge or covered/coated with a material such as plastic or fiberglass. The outside runs of the main kennel area have wire flooring where the coating is worn, cracked, or missing. The thin bare wire flooring is smaller than regulations allow. The owner must repair or replace these areas flooring. This will help dogs be more comfortable, less chance of foot injury, and reside in a safe environment. Correct by 04-15-2017.	N
(b) (6), (b) (7)(C)							15-Feb-17	--RESCINDED--	3.127	3.127(c)(i)	EXHIBITOR	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag	
												<p>***With the recent rains the majority of the camel enclosure is very muddy and has several large areas of standing water. I observed the camels feet sinking deep into the mud while walking. It is not currently possible for the camels to access their water and feed without walking through the mud and water. The slippery mud and standing water present safety and health hazards that may allow the camels to become injured or develop foot diseases and lameness. A suitable method shall be provided to rapidly eliminate excess water to prevent the camels from being subjected to these conditions and protect their health and well-being.</p> <p>Correct by March 1, 2017.</p>		
							30683	15-Feb-17	--RESCINDED--	3.127	3.127(e)()	EXHIBITOR		N
							30683	15-Feb-17	--RESCINDED--	2.126	2.126(a)(2)()	EXHIBITOR	-	N
							30683	15-Feb-17	--RESCINDED--	3.125	3.125(a)()	EXHIBITOR	-	N
												<p>***The shade roof provided for the camels has been knocked down and is leaning on the fence. The broken structure and pieces of wood are a safety hazard which may allow the camels to become injured. The structure and broken wood shall be removed or repaired to protect the camels from injury.</p> <p>***The shelter structure in the camel enclosure is in disrepair. The wall of the shelter is/was covered on the bottom half by a panel of wood approximately 4 feet high. The camels have chewed on it, kicked it, and broken it leaving wood pieces and a panel on the ground around the shelter. The corners of the tin roof have been bent and ripped leaving sharp edges at a level accessible to the camels which may allow the camels to become injured. The shelter shall be repaired, all sharp edges and broken wood removed from the enclosure to protect the camels from injury.</p> <p>***In the camel enclosure the top cross bar on one section of the back fence was damaged by a fallen tree. The bar is bent in and detached from the fence post. It no longer secures the top of the chain-link fence weakening the fences structural strength. The fence shall be repaired to protect the camels and contain them securely within their enclosure.</p>		
							30683	15-Feb-17	--RESCINDED--	3.125	3.125(a)()	EXHIBITOR	Correct by March 1, 2017.	N
							30683	15-Feb-17	--RESCINDED--	3.127	3.127(d)()	EXHIBITOR	-	N
												<p>***The camel shelter has three sides open with a half wall on the fourth side. This is insufficient protection from the wind and cold. Exposure to inclement weather for an extended period of time may cause discomfort and increase the risk of illness. The shelter shall be constructed to afford adequate protection from inclement weather and provide comfort for the camels.</p> <p>Correct by March 1, 2017.</p>		
							30683	15-Feb-17	--RESCINDED--	3.127	3.127(d)()	EXHIBITOR		N

(b) (6), (b) (7)(C)

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												***There is no formal agreement with an attending veterinarian and therefore there is no written program of veterinary care. Formal arrangements shall be made with a local veterinarian who will provide adequate veterinary care to the animals and guidance to personnel involved in the care of the animals. The arrangements shall include a written program of veterinary care and regularly scheduled visits to the premises,	
							15-Feb-17	--RESCINDED--	2.4	2.40(a)()()	EXHIBITOR	Correct by February 25, 2017	N
							15-Feb-17	--RESCINDED--	2.4	2.40(b)(3)()()	EXHIBITOR	-	N
							15-Feb-17	--RESCINDED--	2.4	2.40(b)(3)()()	EXHIBITOR	***The older male camel (uncertain of exact age as no records are available for review) appears very thin. The ribs are easily seen through his coat, the flank area is sunken and the pelvic ridges are prominent. The owner indicates the camels are dewormed on a routine basis and he dewormed them about 6 weeks ago. Their are no records to determine when the camels were last examined by the veterinarian and the owners states they have not been examined recently. The camel shall be examined by the veterinarian to determine current health status and to ensure appropriate treatment is provided accordingly. Documentation of evaluation, treatment and recommendations shall be maintained for future review by APHIS Officials during inspection.	
							15-Feb-17	--RESCINDED--	2.4	2.40(b)(3)()()	EXHIBITOR	Correct by February 25, 2017.	N
							15-Feb-17	ROUTINE INSPECTION	2.126	2.126(a)(2)()()	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(3)()()	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(3)()()	EXHIBITOR	***The older male camel (uncertain of exact age as no records are available for review) appears very thin. The ribs are easily seen through his coat, the flank area is sunken and the pelvic ridges are prominent. The owner indicates the camels are dewormed on a routine basis and he dewormed them about 6 weeks ago. Their are no records to determine when the camels were last examined by the veterinarian and the owners states they have not been examined recently. The camel shall be examined by the veterinarian to determine current health status and to ensure appropriate treatment is provided accordingly. Documentation of evaluation, treatment and recommendations shall be maintained for future review by APHIS Officials during inspection.	
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(c)()()()	EXHIBITOR	Correct by February 25, 2017.	N
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(c)()()()	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(c)()()()	EXHIBITOR	***With the recent rains the majority of the camel enclosure is very muddy and has several large areas of standing water. I observed the camels feet sinking deep into the mud while walking. It is not currently possible for the camels to access their water and feed without walking through the mud and water. The slippery mud and standing water present safety and health hazards that may allow the camels to become injured or develop foot diseases and lameness. A suitable method shall be provided to rapidly eliminate excess water to prevent the camels from being subjected to these conditions and protect their health and well-being.	
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(c)()()()	EXHIBITOR	Correct by March 1, 2017.	
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(c)()()()	EXHIBITOR	-	N

(b) (6), (b) (7)(C)

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()	EXHIBITOR	<p>***The shade roof provided for the camels has been knocked down and is leaning on the fence. The broken structure and pieces of wood are a safety hazard which may allow the camels to become injured. The structure and broken wood shall be removed or repaired to protect the camels from injury.</p> <p>***The shelter structure in the camel enclosure is in disrepair. The wall of the shelter is/was covered on the bottom half by a panel of wood approximately 4 feet high. The camels have chewed on it, kicked it, and broken it leaving wood pieces and a panel on the ground around the shelter. The corners of the tin roof have been bent and ripped leaving sharp edges at a level accessible to the camels which may allow the camels to become injured. The shelter shall be repaired, all sharp edges and broken wood removed from the enclosure to protect the camels from injury.</p> <p>***In the camel enclosure the top cross bar on one section of the back fence was damaged by a fallen tree. The bar is bent in and detached from the fence post. It no longer secures the top of the chain-link fence weakening the fences structural strength. The fence shall be repaired to protect the camels and contain them securely within their enclosure.</p>	N
							15-Feb-17	ROUTINE INSPECTION	3.125	3.125(a)()	EXHIBITOR	Correct by March 1, 2017.	N
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(d)()	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	3.127	3.127(d)()	EXHIBITOR	<p>***The camel shelter has three sides open with a half wall on the fourth side. This is insufficient protection from the wind and cold. Exposure to inclement weather for an extended period of time may cause discomfort and increase the risk of illness. The shelter shall be constructed to afford adequate protection from inclement weather and provide comfort for the camels.</p> <p>Correct by March 1, 2017.</p>	N
							15-Feb-17	ROUTINE INSPECTION	2.4	2.40(a)()	EXHIBITOR	<p>***There is no formal agreement with an attending veterinarian and therefore there is no written program of veterinary care. Formal arrangements shall be made with a local veterinarian who will provide adequate veterinary care to the animals and guidance to personnel involved in the care of the animals. The arrangements shall include a written program of veterinary care and regularly scheduled visits to the premises,</p> <p>Correct by February 25, 2017</p>	N
							15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
							15-Feb-17	ROUTINE INSPECTION	3.4	3.4(b)(3)()	BREEDER	-	N
							15-Feb-17	ROUTINE INSPECTION	3.4	3.4(b)(3)()	BREEDER	Outdoor shelters must have a rain and wind break at the entrance. None of the outdoor shelters have a wind break at the entrance. The owner must add wind breaks to help dogs stay warm during the winter months. This will help in keeping dogs warm and healthy during the cold winter winds. Correct by 02-19-2017.	N
							16-R-0040	10301	NORTHWESTERN C T COMMUNITY COLLEGE	PARK PLACE EAST	WINSTED	CT	6098
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
58-C-0910	21721	SUNCOAST PRIMATE SANCTUARY FOUNDATION	PO BOX 507	PALM HARBOR	FL	34682	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	BREEDER	Adult, male Boston Terrier with chip number (b) (6), (b) (7)(C) has thick dental calculus on his upper premolar and molar teeth (cheek teeth). The area of concern is over the left upper premolar teeth. The gums in this area are recessed away from the tooth and are red and inflamed. This is a sign of dental disease in dogs. Dental disease can cause damage to the gum tissue, tooth and mouth structures, can be painful, and can impact the ability of the dog to eat normally, affecting the overall health of the animal. The animal listed above must be examined by a licensed veterinarian in order to ensure that an accurate diagnosis is obtained and an appropriate treatment plan is developed and followed. This information, including the diagnosis, treatment and resolution of the condition, must be documented and made available to the inspector upon request. This dog must be evaluated by a veterinarian by 20 February 2017.	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
61-C-0177	43749	ANSWERS IN GENESIS CREATION MUSEUM	2800 BULLITSBURG CHURCH RD	PETERSBURG	KY	41080	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
85-T-0008	330550	Enchantment Courier of N.M. L.L.C.	P. O. Box 155	CUBA	NM	87013	15-Feb-17	ATTEMPTED INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	FOCUSED INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	PRELICENSE INSPECTION #	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	(b) (6), (b) (7)(C)	15-Feb-17	PRELICENSE INSPECTION #	-	-	BREEDER	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												<p>unlicensed regulated activity was confirmed/identified by operating a petting farm. After discussing the need of an USDA license, and compliance with the Animal Welfare Act (AWA), the facility's Office Manager stated a complete application for an USDA license would be mailed within days; application package and licensing information were provided at the time.</p> <p>On February 15, 2017, the facility was re-visited by this inspector and unlicensed activity was still been conducted by operating a petting farm. During an escorted tour of the animal areas, 17 pygmy/Nigerian dwarf goats and three (3) rabbits were observed/counted.</p> <p>Any person operating or intending to operate as a dealer, and/or exhibitor, except persons who are exempted from the licensing requirements under paragraph (a)(3) of this section, must have a valid USDA license as required by the AWA. The owner/manager of the facility must apply for a license by submitting the required information/documentation to the USDA-APHIS-AC Regional Director in Raleigh, North Carolina. In the license application form, the establishment must provide the information requested, including a valid mailing address through which the owner/manager could be reached at all times, and a valid premises address where animals, animal facilities, equipment, and records may be inspected for compliance. A packet containing license application materials and information was provided during the inspector's first visit on December 19, 2016.</p>	
(b) (6), (b) (7)(C)							15-Feb-17	ROUTINE INSPECTION	2.1	2.1(a)(1)()	APPLICANT		U
							15-Feb-17	--RESCINDED--	2.1	2.1(a)(1)()	APPLICANT		U
16-H-0001	62	EDGEWOOD EAST L L C	2811 HEBRON AVENUE	GLASTONBURY	CT	6033	16-Feb-17	ROUTINE INSPECTION	-	-	INTERMEDIATE HANDLER		Y
21-R-0049	318	NYU WINTHROP HOSPITAL	259 FIRST STREET	MINEOLA	NY	11501	16-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY		Y

							InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	INTERMEDIATE HANDLER	-	N	
33-T-0011	647	UNITED AIRLINES INC	233 S WACKER DRIVE	CHICAGO	IL	60606	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y	
57-T-0001	828	DELTA AIR LINES INC	1010 DELTA BOULEVARD	ATLANTA	GA	30354	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y	
57-T-0005	912	EXPRESSJET AIRLINES INC	990 TOFFIE TERRACE	ATLANTA	GA	30354	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y	
87-T-0003	1222	SKYWEST AIRLINES INC.	AIR CARGO SERVICES/444 SOUTH RIVER ROAD	SAINT GEORGE	UT	84790	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y	
74-T-0007	1538	American Airlines Inc.	4333 AMON CARTER BLVD MD 4418	FORT WORTH	TX	76155	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y	
74-T-0041	1612	Envoy Air Inc.	4333 Amon Carter Blvd. 5310 HDO1	FORT WORTH	TX	76155	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N	
33-C-0418	2511	WHEATON PARK DISTRICT	102 E WESLEY	WHEATON	IL	60187	16-Feb-17	ROUTINE INSPECTION	3.53	3.53(a)(1)()	EXHIBITOR	-	Y	
												A rabbit was injured after it escaped from its enclosure. The rabbit fell from the enclosure as its door was not secured. The animal's injuries were enough to warrant veterinary care. Unsecured animal enclosures can lead to animal escapes and injury.		
												Assure that the enclosures contain the rabbits and protect them from injury.		
												To be corrected: The rabbit enclosures have been modified since the escape.		
33-C-0418	2511	WHEATON PARK DISTRICT	102 E WESLEY	WHEATON	IL	60187	16-Feb-17	ROUTINE INSPECTION	3.53	3.53(a)(1)()	EXHIBITOR	-	Y	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
58-C-1088	3227	EVERGLADES OUTPOST INC	35601 SW 192 AVE	HOMESTEAD	FL	33034	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y	
86-C-0002	3439	REID PARK ZOO	1030 S Randolph Way	TUCSON	AZ	85716	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y	
82-C-0003	3486	CITY OF POCATELLO ZOO IDAHO	3101 AVE. OF THE CHIEFS	POCATELLO	ID	83204	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y	
93-C-0074	3551	PERFORMING ANIMAL WELFARE SOCIETY	P.O. BOX 849	GALT	CA	95632	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y	
93-C-0718	3592	DINNES MEMORIAL VETERINARY HOSPITAL	9316 SOLEDAD CANYON ROAD	AGUA DULCE	CA	91390	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y	
(b) (6), (b) (7)(C)							16-Feb-17	FOCUSED INSPECTION	-	-	EXHIBITOR	-	N	
93-C-0730	3808	CITY OF PALO ALTO	250 HAMILTON AVENUE	PALO ALTO	CA	94303	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(e)()	BREEDER	-	N	
(b) (6), (b) (7)(C)													(b) (6), (b) (7)(C) has white color to the interior of this eye. The surface of the eye (cornea) has areas of dark discoloration. The licensee reports this dog has been evaluated by the attending veterinarian and is currently receiving medication which she is able to show the inspector. The medication is ofloxacin drops that expired 12/16. The licensee is unable to produce documentation to show when the dog was evaluated or that the treatment has been prescribed by the veterinarian. Eye problems can be a result of infection, trauma, and a variety of other medical problems and be painful. Medication that is being used without direction from the attending veterinarian can be used incorrectly and produce unwanted side effects.	
(b) (6), (b) (7)(C)													Female, cream colored Pekingese ("Blondie" DOB 12-09) with chip number (b) (6), (b) (7)(C) has thickened ear tissue obscuring the opening of both ear canals. There is dark, moist debris in and around the left ear. The licensee has documentation showing that this dog was evaluated by the attending veterinarian on 10-4-15 and is able to show the "baytril mix" solution that was prescribed and that she continues to get from the veterinarian to use on this dog. The dog continues to have ear problems which can be painful and needs to be re-evaluated by the veterinarian. The dog also has an uneven surface and dark pigment along with some green colored discharge on the surface of the left eye (cornea). Eye problems can be a result of infection, trauma, and a variety of other medical problems and be painful.	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)()	BREEDER	-	Female, red and white Shih Tzu ("Jessie" DOB 1-05) with chip number (b) (6), (b) (7)(C) has recessed gums around the lower right	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(x)(i)	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(x)(i)	BREEDER	In the "Male Building" one male Shih tzu was observed to be walking back and forth in the outdoor portion of his enclosure in a hesitant manner. This section of the enclosure has raised tender foot flooring, and the inspectors observed the dog's feet pass through the openings in the flooring at least four times. Openings in the flooring large enough to allow the animals' feet to pass through could cause injury.	
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(x)(i)	BREEDER	Primary enclosures must have flooring constructed in a manner that protects the dogs' feet and legs from injury and does not allow the dogs' feet to pass through any openings. The licensee must alter the flooring in a manner that does not allow the dog's feet to pass through the flooring. The licensee must ensure that all primary enclosures keep the dogs safe from injury at all times.	
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(x)(i)	BREEDER	The inspection was conducted with ACI Kelly Maxwell, VMO Scott Welch, an IDALS representative and the facility representative.	
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(x)(i)	BREEDER	The exit interview was conducted with ACI Kelly Maxwell, VMO Scott Welch, and the facility representative.	N
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)(i)	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)(i)	BREEDER	In one enclosure, containing two dogs, there is a piece of carpet for the dogs to sit on. The edges of the carpet have been excessively torn and shredded by the dogs. The damaged areas of the carpet can not be readily cleaned and sanitized which could increase the risk of disease.	
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)(i)	BREEDER	All surfaces must be maintained on a regular basis. Any surface that cannot be readily cleaned and sanitized must be replaced when worn or soiled. The licensee must replace the damaged carpet or alter it in a manner that allows for the proper cleaning and sanitizing of the surface to occur.	N
34-B-0206	16004 P N T INC	541 E MICHIGAN AVE	SALINE	MI	48176	16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	Y
							16-Feb-17	FOCUSED INSPECTION	2.131	2.131(c)(1)(i)	EXHIBITOR	-	N
							16-Feb-17	FOCUSED INSPECTION	3.125	3.125(a)(i)(i)	EXHIBITOR	-	N
							16-Feb-17	FOCUSED INSPECTION	3.125	3.125(a)(i)(i)	EXHIBITOR	Item from Nov. 29, 2016 report not corrected: - In an enclosure housing 4 tigers in the tram tour section of the park, a wooden resting platform has been chewed and scratched excessively, leaving a row of exposed nail heads along one border of the platform. This is a potential injury risk to the enclosed animals. - In the deer enclosure housing 3 deer, there was a section of fence that was no longer attached to the railing and was loose so fencing is not secure. This was re-attached with wire by the end of the inspection.	
							16-Feb-17	FOCUSED INSPECTION	3.125	3.125(a)(i)(i)	EXHIBITOR	All facilities must be maintained in good repair to protect and safely contain all regulated animals.	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												<p>The facility arranged for transport of two 3-week old bobcats to an Oregon facility via airlines. The health certificate for this transport was signed by the facilities veterinarian on May 19, 2016 and listed the animals as 3 weeks old. The transport occurred on May 20, 2016. The licensee stated that the animal were 4 weeks old and their birth date was April 20, 2016 but there is no other documentation available to corroborate that information. Based on the health certificate signed by the veterinarian, these animals were 3 weeks old at the time of transport.</p> <p>It has been determined that transporting neonatal (<4 weeks old) nondomestic cats is not consistent with safe handling and protecting them from harm. The moving of the enclosure and the noise of the planes and crowds can cause stress and discomfort. Because of their limited immunity, their health is at risk if they are exposed to potential pathogens. Transport at such a young age could expose them to pathogens that their immune system is not able to handle.</p>	
(b) (6), (b) (7)(C)							16-Feb-17	FOCUSED INSPECTION	2.131	2.131(b)(1)()	EXHIBITOR	Correct from this point forward.	N
							16-Feb-17	FOCUSED INSPECTION	2.131	2.131(b)(1)()	EXHIBITOR	-	N
(b) (6), (b) (7)(C)												<p>risk of harm to the public with sufficient distance or barriers between the animal and the general viewing public so as to assure the safety of animals and the public. A report of an alleged bite incident was received regarding a child who was bitten by a juvenile macaque named "Lucy" during a animal encounter session on Dec. 21, 2016. The report of the injury was confirmed by an FWC investigation. The licensee seemed to dispute that there was an injury. The facility described how these encounters are done: The monkey has a harness and leash and while visitors are seated at a table the monkey is allowed to go up and touch them and the visitors are instructed on how to touch and interact with the monkeys. When asked what happens if a monkey becomes aggressive they stated that their animals are not at all aggressive but they can call them back away from the visitors. When asked is there was anything in place that would prevent a monkey from scratching or biting a visitor, no explanation was provided.</p> <p>Macaque monkeys are known to be potential asymptomatic carriers of B virus, a virus that can potentially be fatal to humans. It can be transmitted by bite or scratch. Recommendations for exposure to a macaque bite or scratch often includes the use of antivirals which can sometimes have unpleasant side effects. The owner stated that she is aware of this disease but disputes that it is a risk. They routinely use macaques in their encounter episodes. Other diseases that might be of concern with such close contact with wild or exotic animal, such as rabies, could also potentially result in that animal being euthanized in order to test it.</p>	
													16-Feb-17
34-B-0222	18030	KOWALSKI PET COMPANY	6701 SOUTH DIVISION AVE	GRAND RAPIDS	MI	49548	16-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	Y
32-T-0005	18681	CHAULTAUQUA AIRLINES	8909 PURDUE RD STE 300	INDIANAPOLIS	IN	46268	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
							16-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
							16-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
51-R-0082	33766	BIO RELIANCE CORPORATION	14920 BROSCHART ROAD	ROCKVILLE	MD	20850	16-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
32-T-0007	34228	SHUTTLE AMERICA	8909 PURDUE RD STE 300	INDIANAPOLIS	IN	46268	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
86-R-0036	34846	MESA COMMUNITY COLLEGE	1833 WEST SOUTHERN AVE.	MESA	AZ	85202	16-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(3)()	BREEDER	-	N
												* Nine enclosures, housing 11 adult dogs, have plastic dog doors with plastic dog inserts. These doors, door inserts and some of the area around the door inserts had an accumulation of brown grime or debris on their surfaces. This indicates that daily spot-cleaning is not taking place. As a result, this can increase the disease hazards for the dogs. In the prevention of an accumulation of brown grime or debris, all surfaces must be spot-cleaned daily and sanitized as necessary. This will decrease the disease hazards for the animals. To be corrected by, 22-February-2017.	
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(3)()	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)()	BREEDER	-	N
												* Six enclosures, housing eight adult dogs, had plastic door inserts with plastic sliders fasten to the sides. These sliders and some of the inserts along the bottom are excessively chewed and scratched. There was an accumulation of brown grime in these chewed or scratched areas. These chewed or scratched areas prevent required cleaning and sanitization. This could increase the disease potential for the animals. For required cleaning and sanitization, all surfaces must be maintained and kept in good repair. Thus, this will decrease the disease potential for the animals. To be corrected by, 17-March-2017.	
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)()	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)()	BREEDER	-	N

(b) (6), (b) (7)(C)

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												<p>* A male, tan and white Shih Tzu, born 7-July-2007, (ID number (b) (6), (b) (7)(C)) has severely cloudy eyes. The center part of both eyes was bluish white. The white of both eyes is mildly reddened. The condition of the eyes can be due to infections, allergies, injury, irritation or other medical conditions that could be painful.</p> <p>* This dog (ID# number (b) (6), (b) (7)(C)) also has a severe build-up of a thick, yellowish to brownish tartar encasing all of the upper cheek teeth and about half of the surface of the left canine (carnassial tooth). The majority of the surfaces of the cheek teeth cannot be visualized due to the excessive build-up of the yellowish to brownish tartar. The gums above the left canine tooth were dark red. The hair surrounding the mouth is wet due to the dogs excessive drooling. The buildup of abnormal tartar on teeth can be painful, impact the ability of the dog to eat normally, and harm the health of the animal.</p> <p>The licensee must have this animal examined by a veterinarian to obtain an accurate diagnosis and appropriate treatment plan concerning the teeth and eyes. The outcome of this consultation must be documented and provided to the inspector upon request. The licensee must ensure that all animals receive adequate veterinary care at all times.</p> <p>To be corrected by, 28-February-2017.</p>	
							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	BREEDER		N
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
58-C-1052	36333	EMERALD COAST WILDLIFE REFUGE	105 SANTA ROSA BLVD	FORT WALTON BEACH	FL	32548	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ATTEMPTED INSPECTION	-	-	DEALER	-	N
41-T-0005	41125	COMPASS AIRLINES LLC	7500 AIRLINE DRIVE	MINNEAPOLIS	MN	55450	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(3)(i)	BREEDER	-	N
												<p>* The dog doors for six enclosures, housing 10 adult dogs, had an accumulation of brown to black grime or debris on their surfaces. The door inserts and area around some of the dog doors had an accumulation of brown to black grime or debris. This indicates daily spot-cleaning is not taking place and could increase the disease potential for the animals.</p> <p>All surfaces must be spot-cleaned and disinfected regularly for the prevention of an accumulation of waste or grime. This will decrease the disease hazards for the dogs.</p> <p>To be corrected by, 21-February-2017.</p>	
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(3)(i)	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)(i)	BREEDER	-	N
												<p>* An enclosure, housing two adult dogs, had wood particular board from the primary fencing. This wood board was excessively chewed and scratched. This wood surface cannot be properly cleaned or sanitized. As a result, the disease hazards can increase for the dogs.</p> <p>For the prevention of disease hazards to the animals, all surfaces must be maintained on a regular basis and kept in good repair for proper cleaning and sanitation.</p> <p>To be corrected by, 2-March-2017.</p>	
							16-Feb-17	ROUTINE INSPECTION	3.1	3.1(c)(2)(i)	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(i)	BREEDER	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												* One enclosure, housing one adult dog, had wire used to fasten the panel divider to the back wall. This wire had sharp protruding points. The points were protruding into the enclosures at approximately eye level of the dog in normal standing position. These points could cause injury to dog. All enclosures must be kept free of sharp protruding points that could injure the animals.	
							16-Feb-17	ROUTINE INSPECTION	3.6	3.6(a)(2)(i)()	BREEDER	To be corrected by, 21-February-2017.	N
33-B-0404	42492	SIEMENS HEALTHCARE DIAGNOSTICS INC	511 BENEDICT AVENUE	N TARRYTOWN	NY	10591	16-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	Y
33-R-0141	42492	SIEMENS HEALTHCARE DIAGNOSTICS INC	511 BENEDICT AVENUE	N TARRYTOWN	NY	10591	16-Feb-17	ROUTINE INSPECTION	-	-	RESEARCH FACILITY	-	Y
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	DEALER	-	N
48-C-0159	326116	Fort Hays State University	592 N E K-156 Hwy	GREAT BEND	KS	67530	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
41-T-0008	330366	ENDEAVOR AIR INC	7500 AIRLINE DRIVE	MINNEAPOLIS	MN	55450	16-Feb-17	ROUTINE INSPECTION	-	-	CARRIER	-	Y
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ATTEMPTED INSPECTION	-	-	DEALER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	U
							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
							16-Feb-17	ROUTINE INSPECTION	2.5	2.50(a)(1)()	BREEDER	-	N
							16-Feb-17	ROUTINE INSPECTION				There are 5 dogs on the inventory that have been at the facility since November 2016 that do not have proper USDA ID tags. While the dogs are listed on the inventory and have collars, they do not have the proper ID tags on the collars. Proper USDA ID tags are required for proper management and traceability of the regulated animals. All regulated animals must have USDA tags on their collars when they are added to the inventory and are old enough to require permanent USDA identification according to USDA AWA. To be corrected by: February 22, 2017 Inspection and exit interview was conducted with licensee.	
							16-Feb-17	ROUTINE INSPECTION	2.5	2.50(a)(1)()	BREEDER		N
							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)()	BREEDER		N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
												<p>There is a 4 month old German Shepard female that had a collar that was left on while she was growing and became too tight, causing the collar to break the skin and bite into the muscle tissue of the neck. There were two areas approximately 2 inches long, 1/2 inch wide of exposed muscle tissue that was caught in the buckle of the collar. There was some yellow/green infected mucus with a very strong odor was oozing from the muscle tissue that was caught in the buckle. The collar had been put on the pup and not checked as she grew, causing the collar to cut into her neck. The injury had not been observed until during the inspection, so a veterinarian had not been contacted.</p> <p>Collars that are not monitored on growing dogs can grow into the neck tissue causing serious injury or strangle the animals if left unmonitored.</p> <p>The licensee must contact the attending veterinarian for proper treatment and care of the injury. All collars on the regulated animals must be checked and loosened to prevent injuries. The attending veterinarian was contacted during the inspection, and coming to the property by the end of the day. The collar was removed and treatment being provided.</p>	
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(2)(i)	BREEDER	To be corrected by: February 16, 2017	N
							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(3)(i)	BREEDER	-	N
(b) (6), (b) (7)(C)												<p>There is a 4 month old German Shepard female that had a collar that was left on while she was growing and became too tight, causing the collar to break the skin and bite into the muscle tissue of the neck. The collar had not been observed as being too tight until during the inspection.</p> <p>Collars that are not monitored on growing dogs, or put on too tight on any dog can cause serious damage to the necks of the regulated animals. These collars can grow into the neck tissue or strangle the animals if left unmonitored.</p> <p>The licensee must increase their daily observation of the collars that are on their regulated animals, and monitor the tightness on the growing pups to make sure they provide enough room for comfort and swallowing ability of the dogs.</p>	
							16-Feb-17	ROUTINE INSPECTION	2.4	2.40(b)(3)(i)	BREEDER	To be corrected: February 16, 2017	N
(b) (6), (b) (7)(C)							16-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
48-G-0001	335442	ARTHROPOD BORNE ANIMAL DISEASES RESEAR	1515 College Avenue	MANHATTAN	KS	66502	16-Feb-17	ROUTINE INSPECTION	-	-	AGRICULTURE RESEARCH	-	Y
58-C-1170	500537	31 PRODUCE LLC	18500 SR 31	ALVA	FL	33920	16-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)							16-Feb-17	PRELICENSE INSPECTION #	-	-	BREEDER	-	N
							16-Feb-17	PRELICENSE INSPECTION #	-	-	DEALER	-	N
(b) (6), (b) (7)(C)							17-Feb-17	--RESCINDED--	-	-	BREEDER	-	N
							17-Feb-17	ATTEMPTED INSPECTION	-	-	BREEDER	-	N
71-C-0006	4792	A R ALLIGATOR FARM & PETTING ZOO INC.	847 WHITTINGTON AVE	HOT SPRINGS	AR	71901	17-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
(b) (6), (b) (7)(C)							17-Feb-17	ROUTINE INSPECTION	-	-	BREEDER	-	N
							17-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
(b) (6), (b) (7)(C)							17-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	Y
							17-Feb-17	PRELICENSE INSPECTION #	-	-	BREEDER	-	N
(b) (6), (b) (7)(C)							17-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N
							17-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N

Certificate	Customer	Legal Name	Address	City	State	Zip	InspectionDate	InspectionType	SectionCode	NCI Violation	Customer Type	NCI Narrative	PostFlag
(b) (6), (b) (7)(C)	17-Feb-17	ROUTINE INSPECTION	-	-	EXHIBITOR	-	N						